



## BD21/Kombi-GL

93001 EAN: 4007529930012

Illuminated exit sign / pictorial emergency sign  
with single battery

Sturdy plastic case IP54

Visibility range 21 m

### Order data

| Designation   | Colour | Art.No |
|---------------|--------|--------|
| BD21/Kombi-GL | white  | 93001  |

## Technical data

|                               |                                     |
|-------------------------------|-------------------------------------|
| Voltage:                      | 230 V AC +/- 10% 50 Hz              |
| Dimensions:                   | 250 x 135 x 150 mm                  |
| Lamp:                         | 2x 0.7W bulb E10 / 2x 1.6W bulb E10 |
| Visibility range:             | 21                                  |
| Operation mode:               | Permanent operation, Wake up mode   |
| Luminous flux / intensity:    | 2x 0.7W bulb E10 / 2x 1.6W bulb E10 |
| Degree / class of protection: | IP54 / Class II                     |
| Ambient temperature:          | +5 °C to +35 °C                     |
| Housing:                      | Polycarbonate                       |
| Material color:               | white                               |

### Battery

|                             |                              |
|-----------------------------|------------------------------|
| Accu:                       | NiMH 3.6 V<br>4000 mAh       |
| Nominal operation duration: | 3 h (1.6 W) or 1.6 h (0.7 W) |

### Monitoring

|                     |                            |
|---------------------|----------------------------|
| Local surveillance: | Button for operation check |
|---------------------|----------------------------|

## Product information

Illuminated exit sign / pictorial emergency sign with single battery

Sturdy plastic case IP54

Visibility range 21 m

Eco-friendly NiMH battery

Nominal operating time 3 hours

Button for operation check (on the housing)

Lamp, battery and four pictograms included



