

**B.E.G.****LUXOMAT®**

## PD9-S-SDB-FC Set 92915-92958

Slave PIR motion detector with 360° coverage  
and a range of up to Ø10m (78 m²), IP65

### Order data


| Designation                    | Colour      | Art.No |
|--------------------------------|-------------|--------|
| PD9-S-SDB-FC                   | white       | 92915  |
| Cover IP65 for Sensor head PD9 | transparent | 92958  |

## Technical data


|                                           |                                                                                                                    |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Dimensions:                               | Ø 36 x 28 mm                                                                                                       |
| Detection area:                           | horizontal 360°<br>(Ceiling<br>mounting)<br>max. Ø 10 m<br>across<br>max. Ø 6 m<br>towards<br>max. Ø 4 m<br>seated |
| Range:                                    | 78 m² / 2.5 m<br>mounting<br>height                                                                                |
| Monitored area (tangential<br>movement):  | 2 m / 5 m / 2.5<br>m                                                                                               |
| Mounting height<br>min./max./recommended: | <b>IP65 / Class<br/>III + IP65<br/>(92958)</b>                                                                     |
| Degree / class of<br>protection:          | <b>white, similar<br/>to RAL9010 +<br/>transparent<br/>(92958)</b>                                                 |
| Impact strength:                          | IK03                                                                                                               |
| Material color:                           |                                                                                                                    |
| Cable length:                             | 350 cm                                                                                                             |

## Product information

Set : PD9-S-SDB-FC + Cover IP65 for Sensor head  
PD9 transparent



sensor head



## Set items

To receive the bundle according to the technical specification, please order the items listed.



### **PD9-S-SDB-FC**

Art.No: 92915

Dimensions: Ø 36 x 28 mm

Detection area: horizontal 360° (Ceiling mounting)

Range: max. Ø 10 m across

max. Ø 6 m towards

max. Ø 4 m seated



### **Cover IP65 for Sensor head PD9**

Art.No: 92958

Degree / class of protection: IP65

Housing: UV-resistant

Material color: transparent